
Series of practical exercises 4

Exercise 1:

1. Create an empty **html** page,
2. Include the provided **bootstrap.min.css**, **jquery.min.js** and **bootstrap.min.js** in you **html** page,
3. Add a container **div** with class **container** to your page,
4. Add a button with class **btn** and **btn-primary**,
5. Add another button with class **btn** and **btn btn-warning**,
6. Set the primary button state to **active** by using the class **active**
7. Set the warning button state to **disabled** by using the class **disabled**
8. Group the two buttons using **btn-group**

Exercise 2:

1. Create an **info** message using **alert** and **alert-info** calsses
2. Create a **success** message
3. Create a **warning** message
4. Make the **success** message dismissible by adding the class **alert-dismissible** to the message and adding the following code inside:

```
1      <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
```

Exercise 3:

1. Add a **span** with class **glyphicon glyphicon-signal**
2. Try also with **headphones**, **plus-sign**, **minus-sign**
3. Add the following code

```
1  <div class="row">
2    <div class="col-sm-4">
3      Column 1
4    </div>
5    <div class="col-sm-4">
6      Column 2
7    </div>
8    <div class="col-sm-4">
9      Column 3
10   </div>
11 </div>
```

4. Add a row with 2 columns
5. Same question for 3, 4 and 6 columns
6. Add a new row with 6 columns in large (lg) screens and 3 columns in small (sm) screens

Mohamed Kamel