



INSTALLATION ET ACTIVATION DU LOGICIEL SIMATIC MANAGER STEP 7 V5.5

1. Installation du logiciel SIMATIC STEP 7 V5.5


Double-cliquer sur l'icône « Setup SIMATIC Manager » :




Choisissez la langue d'installation, (français , anglais...), Suivant puis j'accepte:




On décoche les trois cases qui représentent les logiciels qui doivent être installés avec STEP 7, puis suivant :




J'accepte, et suivant. Vous continuez avec suivant jusqu'à fenêtre suivante :




Vous donnez un nom d'utilisateur, suivant :



Sélectionnez l'installation standard, suivant :




Choix de la langue d'installation, soit le français et anglais, suivant :




Une fois cette fenêtre apparaît, choisissez Installez :

Durant l'installation, apparaît la fenêtre suivante, paramétrage de la carte mémoire :



Vous choisissez, aucune, ok :




L'installation est terminée, on vous demande de redémarrer le PC, il faut choisir la mention **NON**, redémarrer plus tard, car il faut activer le logiciel installé avant de redémarrer le PC, terminer.

2. Activation du logiciel SIMATIC STEP 7 V5.5

A partir du fichier Simatic_EKB_Install_2010_03_20, éditeur de clés :

Double-cliquer sur l'icône Simatic_EKB_Install_2010_03_20.



Choisissez, all keys, Select, Install log puis all, pour transférer toutes les clés :

3. Confirmation de l'activation

Pour confirmer que les tous les clés sont transfères, on double clique sur l'icône automation License manager :



Si le tableau suivant apparait, donc votre logiciel est bien activé :

Etat	Famille	Produit	Version	Nbre de clés de licence	Type de licence princ...	Type de lic
—	SIMATIC HMI	WINCC Arch (1500)	6.2	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (5000)	6.2	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (30000)	6.2	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (4000000)	6.2	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (10000)	6.2	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (80000)	6.2	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (120000)	6.2	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (1500)	7.0	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (5000)	7.0	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (30000)	7.0	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (4000000)	7.0	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (10000)	7.0	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (80000)	7.0	1	Floating	Count rele
—	SIMATIC HMI	WINCC Arch (120000)	7.0	1	Floating	Count rele
—	SIMATIC PCS 7	AS RT PO (100)	7.0	1	Floating	Count rele
—	SIMATIC PCS 7	AS RT PO (250)	7.0	1	Floating	Count rele
—	SIMATIC PCS 7	AS RT PO (500)	7.0	1	Floating	Count rele
—	SIMATIC PCS 7	AS RT PO (750)	7.0	1	Floating	Count rele
—	SIMATIC PCS 7	AS RT PO (1000)	7.0	1	Floating	Count rele
—	SIMATIC PCS 7	AS RT PO (2000)	7.0	1	Floating	Count rele
—	SIMATIC PCS 7	AS RT PO (3000)	7.0	1	Floating	Count rele
—	SIMATIC PCS 7	AS RT PO (5000)	7.0	1	Floating	Count rele
—	SIMATIC PCS 7	AS RT PO (8500)	7.0	1	Floating	Count rele
—	SIMATIC PCS 7	AS RT PO (10000)	7.0	1	Floating	Count rele

et il ne reste que le redémarrage du PC pour finaliser l'opération d'installation du SIMATIC STEP 7 V5.5.